| Ref<br># | Hits | Search Query                                      | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
| L1       | 0    | 10/303598 and tumor adj<br>associated adj antigen | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:38 |
| L2       | 0    | 10/303598 and MART                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:38 |
| L3       | 0    | 10/303598 and caspase                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 14:08 |
| L4       | 0    | 10/303598 and cdc                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:39 |
| L5       | 0    | 10/303598 and anti adj angiogenic                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:42 |
| L6       | 2    | 10/303598 and 19k                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:43 |
| L7       | 0    | 10/303598 and "19" adj k                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:44 |
| L8       | 0    | 10/303598 and "14.7k"                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 12:46 |
| L9       | Ź    | 10/303598 and e1b                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/04/11 13:03 |

| L10 | 0    | oncolytic and tumor adj<br>sassociated adj antigen | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:04 |
|-----|------|--|---|----|------|------------------|
| L11 | 42   | oncolytic and tumor adj associated<br>adj antigen  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11:13:06 |
| L14 | 0    | oncolytic and vEGF adj antagonist                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:05 |
| L15 | 38   | oncolytic and angiostatin                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:04 |
| L16 | 5    | oncolytic and trprs                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:05 |
| L17 | 54   | cytotoxic and trprs                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:05 |
| L18 | 246  | vEGF adj antagonist                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:06 |
| L19 | 69   | vEGF adj antagonist and<br>adenovirus              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:06 |
| L20 | 0    | l19 and l15 and l11                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2005/04/11 13:06 |
| L22 | 1822 | adenovirus and tumor adj<br>associated adj antigen | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2005/04/11 13:06 |

| L23 | 4    | I19 and I22   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:13 |
|-----|------|---|---|----|----|------------------|
| L24 | 0    | 119 and   122 and   117   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:06 |
| L25 | 0    | coding adj sequence same<br>(angiostatin and trprs and tumor<br>adj associated adj antigen)     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:16 |
| L26 | 0    | coding adj sequence same<br>(angiostatin and tumor adj<br>associated adj antigen)               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:16 |
| L27 | 18   | coding adj sequence same<br>(angiostatin)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:16 |
| L28 | 2    | coding adj sequence same<br>(angiostatin) and (MAGE or MART<br>or gage or her2)                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:19 |
| L29 | 391  | (angiostatin) and (MAGE or MART<br>or gage or her2)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:19 |
| L30 | 4    | (angiostatin) and (MAGE or MART<br>or gage or her2) and trprs                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:20 |
| L31 | 4    | (angiostatin) and (MAGE or MART<br>or gage or her2) and inhibitor adj5<br>(PDGF or TGFb or IGF) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:22 |
| L32 | 1202 | ctla4   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 13:21 |

| L33 | 23   | (angiostatin) and (MAGE or MART or gage or her2) and ctla4 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:00 |
|-----|------|--|---|----|----|------------------|
| L34 | 1    | 10/081969  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:00 |
| L35 | 1    | 10/081969 and trprs  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:01 |
| L36 | 0    | 10/081969 and inibitor                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:01 |
| L37 | 1    | 10/081969 and inhibitor                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:01 |
| L38 | 2    | 10/303598 and packaging                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:32 |
| L39 | 2648 | packaging adj signal                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:09 |
| L40 | 847  | packaging adj signal same "3"                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:11 |
| L41 | 269  | packaging adj signal adj10 "3'"                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:11 |
| L42 | 217  | packaging adj signal adj10 "3"<br>and adenovirus           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:12 |

| L43 | 64 | packaging adj signal adj10 "3'"<br>same adenovirus                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:13 |
|-----|----|--|---|----|----|------------------|
| L44 | 50 | packaging adj signal adj10<br>deletion   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:13 |
| L45 | 0  | packaging adj signal adj10 move  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:13 |
| L46 | 3  | packaging adj signal adj10 moved   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:14 |
| L47 | 3  | packaging adj signal adj20 moved   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:15 |
| L48 | 87 | packaging adj signal adj20<br>inserted   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:20 |
| L49 | 10 | packaging adj signal adj20<br>inserted adj20 (right or "3'")                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:17 |
| L50 | 10 | packaging adj signal adj20<br>inserted adj20 (right or "3'") and<br>packaging adj signal | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:19 |
| L51 | 0  | packaging adj signal adj20 insert<br>adj20 (right or "3"") and packaging<br>adj signal   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:19 |
| L52 | 0  | packaging adj signal adj20<br>inserted adj20 (right or "3"') and<br>esf                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:19 |

| L53 | 3   | packaging adj signal adj20<br>inserted adj20 (right or "3"") and<br>e2f   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:19 |
|-----|-----|---|---|----|----|------------------|
| L54 | 3   | packaging adj signal adj20<br>inserted and e2f  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:21 |
| L55 | 14  | packaging adj signal same e2f   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:23 |
| L56 | 275 | packaging adj signal adj20 (delete<br>or deletion or deleted or insert or<br>inserted or insertion)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:23 |
| L57 | 25  | packaging adj signal adj20 (delete<br>or deletion or deleted or insert or<br>inserted or insertion) adj20 (right<br>or itr or "3"")           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:23 |
| L58 | 24  | packaging adj signal adj20 (delete<br>or deletion or deleted or insert or<br>inserted or insertion) adj20 (right<br>or "3")                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:23 |
| L59 | 24  | packaging adj signal adj20 (delete<br>or deletion or deleted or insert or<br>inserted or insertion) adj20 (right<br>or "3" or ritr)           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:28 |
| L60 | 19  | packaging adj signal adj20 (delete<br>or deletion or deleted or insert or<br>inserted or insertion) adj20 (right<br>or: "3" or ritr) and sv40 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:30 |
| L61 | 0   | packaging adj signal adj20 (right<br>adj ritr) and sv40   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:30 |
| L62 | 0   | packaging adj signal adj20 (right<br>adj ritr)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:30 |

| L63 | 19 | packaging adj signal adj20 (right<br>adj itr)    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:30 |
|-----|----|--|---|----|----|------------------|
| L64 | 0  | 10/303598 and enhancer adj5 e1a                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:33 |
| L65 | 0  | packaging adj signal adj10<br>enhancer adj5 e1a  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:33 |
| L66 | 36 | packaging adj signal adj10 e1a<br>adj10 enhancer | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/11 14:33 |

- FILE 'MEDLINE, CAPLUS, SCISEARCH' ENTERED AT 13:26:48 ON 11 APR 2005
- L1 11101 S VIRUS AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L2 11102 S VIRUS AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L3 117 S VIRUS AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L4 145 S VIRUS AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L5 185 S VIRUS AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L6 5767 S VIRUS AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L7 78 S L4 AND L6
- L8 5864 S L4 OR L5 OR L6
- L9 72 S L8 AND ONCOLYTIC
- L10 55 DUP REM L9 (17 DUPLICATES REMOVED)
- L11 23 S L10 AND PY<=2001
- L12 6 S L11 AND CYTOTOXIC
- L13 2791 S ADENOVIRUS AND CYTOTOXIC
- L14 385 S L13 AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE O

- L15 385 S L13 (S) (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE O
- L16 14 S L13 AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE O
- L17 6 DUP REM L16 (8 DUPLICATES REMOVED)
- L18 6 S L17 AND PY<=2001
- L19 1531 DUP REM L13 (1260 DUPLICATES REMOVED)
- L20 9098 S E2F OR E2F1
- L21 1619 S L20 (5A) PROMOTER
- L22 432 S L21 (S) ("E4" OR "E2" OR E2A)
- L23 426 S L21 (20A) ("E4" OR "E2" OR E2A)
- L24 1 S L23 AND ITR
- L25 3 S L21 AND ("E4" OR "E2" OR E2A) AND ITR
- L26 1013 S L19 AND PY<=2001
- L27 15 S L26 AND CTLA4

## FILE 'STNGUIDE' ENTERED AT 13:40:52 ON 11 APR 2005

FILE 'MEDLINE, CAPLUS, SCISEARCH' ENTERED AT 13:45:38 ON 11 APR 2005

- L28 132 S L26 AND (MAGE OR MART OR TYROSINASE OR MAGE OR BAGE OR GAGE
- L29 1447 S ANTAGONIST (20A) (VEGF OR VEGFR OR EGF OR EGFR)
- L30 12 S L29 AND INHIBIT (20A) (PDGF OR TGFB OR TGF OR IGF1 OR OGF)

| L31  | 15 S L29 AND INHIBIT (20A) (PDGF OR TGFB OR TGF OR IGF1 OR IGF) |
|------|---|
| L32  | 15 S L31 AND L29  |
| L33  | 0 S L31 AND L26   |
| L34  | 0 S L29 AND L26   |
| L35  | 0 S L31 AND ADENOVIRUS  |
| L36. | 0 S L29 AND ONCOLYTIC   |
| L37  | 15 S L28 AND TUMOR (A) ASSOCIATED (A) ANTIGEN                   |
| L38  | 0 S L37 AND ANGIOSTATIN   |
| L39  | 0 S L37 AND ENDOSTATIN  |
| L40  | 0 S L28 AND ENDOSTATIN  |

## FILE 'STNGUIDE' ENTERED AT 13:53:47 ON 11 APR 2005

## FILE 'MEDLINE, CAPLUS, SCISEARCH' ENTERED AT 13:56:40 ON 11 APR 2005

=> s 126 and (endostatin or angiostatin) an dtrprs

## MISSING OPERATOR IOSTATIN) AN

The search profile that was entered contains terms or

nested terms that are not separated by a logical operator.

- => s 126 and (endostatin or angiostatin) and trprs
- L41 0 L26 AND (ENDOSTATIN OR ANGIOSTATIN) AND TRPRS

=> s l26 and (endostatin or angiostatin)

L42 1 L26 AND (ENDOSTATIN OR ANGIOSTATIN)

=> d ibib abs

| Ref<br># | Hits | Search Query                                | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
| L5       | 11   | oncolytic adj virus and itr                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:42 |
| L4       | 82   | oncolytic adj virus                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:42 |
| L3       | 3    | L2 adj5 promoter and oncolytic adj<br>virus | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:42 |
| L1       | 2    | "I2" and oncolytic adj virus                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:42 |
| S13<br>6 | 136  | S135 adj5 promoter                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:41 |
| L2       | 1570 | e2f or e2f-1                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:41 |
| S15<br>1 | 4    | S136 and aav and oncolytic                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 10:40 |
| S15<br>0 | 31   | S136 and aav                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 09:39 |
| S14<br>9 | 31   | S136 and aav                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/04/11 09:39 |

| S14<br>8  | 9     | S136 and ITR same polyadenylation   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:38 |
|-----------|-------|---|---|------|-----|------------------|
| 514<br>7  | 5     | adenovirus and tumor adj specific<br>adj promoter and ITR same<br>polyadenylation | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | OFF | 2005/04/11.09:34 |
| S14<br>6  | 225   | adenovirus and tumor adj specific<br>adj promoter                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:33 |
| S14<br>5  | 32422 | adenovirus  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:33 |
| S14<br>3  | 2     | 10/303598 and (polyadenylation or polya) and e2                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:33 |
| S14<br>4  | 0     | 10/303598 and (polyadenylation or polya) and e2a                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:30 |
| S14<br>2  | 2     | 10/303598 and (polyadenylation or polya)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:30 |
| S14<br>1  | 6     | S136 and S137 and<br>(polyadenylation or polya or poly<br>adj adenylation)        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:29 |
| S14<br>0  | 6     | S136 and S137 and<br>(polyadenylation or polya or poy<br>adj adenylation)         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:28 |
| \$13<br>9 | 17    | S136 and S137 and sv40  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/04/11 09:27 |

| S13<br>8 | 21   | S136 and S137 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/11 09:27 |
|----------|------|---------------|---|----|-----|------------------|
| S13<br>7 | 140  |               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/11 09:24 |
| S13<br>5 | 1570 | e2f or e2f-1  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/11 09:24 |